

US007334216B2

(12) United States Patent

Molina-Moreno et al.

(54) METHOD AND APPARATUS FOR AUTOMATIC GENERATION OF INFORMATION SYSTEM USER INTERFACES

(75) Inventors: Pedro Juan Molina-Moreno, Albacete

(ES); Oscar Pastor-Lopez, Valencia (ES); Juan Carlos Molina-Udaeta, Valencia (ES); Jose Miguel

Valencia (ES); Jose Miguel Barbera-Alonso, Valencia (ES)

(73) Assignee: Sosy, Inc., San Francisco, CA (US)

(*) Notice: Subject to any disclaimer, the term of this

patent is extended or adjusted under 35

U.S.C. 154(b) by 638 days.

(21) Appl. No.: 10/356,250

(22) Filed: Jan. 31, 2003

(65) Prior Publication Data

US 2004/0153992 A1 Aug. 5, 2004

Related U.S. Application Data

- (63) Continuation-in-part of application No. 09/872,413, filed on Jun. 1, 2001, now Pat. No. 7,278,130, which is a continuation-in-part of application No. 09/543, 085, filed on Apr. 4, 2000, now Pat. No. 6,681,383.
- (51) **Int. Cl. G06F** 9/44 (2006.01)
- (52) **U.S. Cl.** 717/109; 717/105

(56) References Cited

U.S. PATENT DOCUMENTS

4,734,854	A	3/1988	Afshar	717/107
4,841,441	A	6/1989	Nixon et al	706/45

(Continued)

(10) Patent No.: US 7,334,216 B2

(45) **Date of Patent:** Feb. 19, 2008

OTHER PUBLICATIONS

Nuno Jardim Nunes, "Object Modeling for User-Centered Development and User-Interface Design", PhD Thesis, Universidad de Madeira, Madeira, Portugal, 2001, retrieved from the Web at //xml.coverpages.org/NunoWisdomThesis.pdf on Aug. 31, 2006.*

(Continued)

Primary Examiner—Tuan Dam Assistant Examiner—John J Romano (74) Attorney, Agent, or Firm—Ronald Craig Fish, A Law Corp.; Ron Fish

(57) ABSTRACT

A method and apparatus for the specification and automatic generation of user interfaces of information system (computer programs) is provided. The method is based in pattern language to specify requirements in an un-ambiguous mode and with precise semantics. The pattern language allows a user interface model to be composed using elements of the pattern language (computer objects in the object oriented programming style) which fully specify the desired user interface. The semantics of the objects in the user interface model have one and only one definition such that user interface model can be validated in a validation process. The validation process eliminates bugs in the final computer program code which is automatically produced from the user interface model. A model (metamodel), an editor tool (computer program) implementing the model for creating specifications of the user interface model, DTD specification, code generators, and other artifacts are depicted and described here for obtaining such user interfaces for different platforms (computers and operating systems) and different programming languages without manual coding of the computer code to implement the user interface. The software obtained is ready to run and it is able to communicate with a business server component using a standardized Application Programmatic Interface (API).

20 Claims, 21 Drawing Sheets

